Title: Image Forming Apparatus.
Inventor: Masamichi Aoki Customer No. 570

Appln. No.: 10/634,517 Atty. Docket: 9448-143US (G0272)



3/5 **FIG.4**


DECILIENCE	COMPRESSIBILITY				
RESILIENCE %	55	50	45	40	35
50	×	×	×	×	×
40	×	×	×	×	×
35	×	×	×	×	×
30	×	×	×	×	×
25	×	×	×	×	×
20	×	×	×	×	×
15	×	×	×	×	×
10	×	×	×	×	×
5	×	×	×	×	×

FIG.5

RESILIENCE	COMPRESSIBILITY					
	55	50	45	40	35	
50	×	×	×	×	×	
40	0	0	0	0	0	
35	0	0	0	0	0	
30	0	0	0	0		
25	0	0	0	0	0	
20	0	0	0			
15	0	0	0	0	0	
10	×	×	×	×	×	
5	×	×	×	×	×	

Title: Image Forming Apparatus.
Inventor: Masamichi Aoki Customer No. 570

Appln. No.: 10/634,517 Atty. Docket: 9448-143US (G0272)



DECIL IENCE	COMPRESSIBILITY				
RESILIENCE %	55	50	45	40	35
50	×	×	×	×	×
40	0	0	0	0	0
35	0	0	0	0	0
30	0	0	0	0	0
25	0	0	0	0	0
20	0	0	0	0	0
15	0	0	0	0	0
10	×	×	×	×	×
5	×	×	×	×	×

FIG.7

DECHIENCE	COMPRESSIBILITY				
RESILIENCE %	55	50	45	40	35
50	×	×	×	×	×
40	0	0	0	0	0
35	0	0	0	0	0
30	0	0	0	0	
25	0	0	0	0	0
20	0	0	0	0	0
15	0	0	0	0	0
10	×	×	×	×	×
5	×	×	×	×	×

Title: Image Forming Apparatus.
Inventor: Masamichi Aoki Customer No. 570

Appln. No.: 10/634,517 Atty. Docket: 9448-143US (G0272)



5/5

FIG.8

RESILIENCE	COMPRESSIBILITY					
	55	50	45	40	35	
50	×	×	×	×	×	
40	×	×	×	×	×	
35	×	×	×	×	×	
30	×	×	×	×	×	
25	×	×	×	×	×	
20	×	×	×	×	×	
15	×	×	×	×	×	
10	×	×	×	×	×	
5	×	×	×	×	×	